STEINMANS SAFETY BLIND - RAISED FACE OR PLAIN FACE FLANGES

Client Name:	Provided by: Steinmans, LLC	Item No.: SB-0150-12HF-1000-304SS	Revision: REV-01
Company:	Prepared by: DSF	Design Type: STEINMANS Safety Blind	Date: 09/17/2010

Quantity: 1

Item Description: STEINMANS Safety Blind

Line Size. NPS: 10

Material of Blank/Spacer: ASTM A 240 Gr. 304 Stainless Steel Pl. 18Cr-8Ni

Flange Class Rating: Class 150
Facing Type: Plain Face
Facing Finish: Mill Finish

*Standards: (a) ASME B16.5 Flanges, NPS 1/2 thru 24

(b) ASME B16.48 Line Blanks(c) ASME B31.3 Process Piping

Dimensional Tolerance: +/- 0.03 in.

Thickness Tolerance: ASTM Plate Standard

Weight Density (lb/in^3): 0.2854
Corrosion Allowance: 0.000 in.
Design Temperature: N/A

Allowable Pressures (psig): NOT RATED FOR PRESSURE

Construction of Design: One Piece Construction

Material of Handle/Web: N/A - Handle Not Separate (One Piece Construction)
Welding Requirements: No Welding Required (One Piece Construction)

Coating: None Special Features: None

ØG WF K

	Dimensions		
	Inch	mm	
L=	19.1	485	
W =	13.3	337	
N =	7.5	190	
G =	1.0	25	
F=	0.3	7	
B =	5.5	139	
K =	1.5	38	
T =	0.13	3	

Weight			
Lbs	kg		
6.3	2.9		

ı	Markings	П
Ī	STEINMANS	ī
I	A 240 - 304 SS	
Ī	150# 10	
Ī	1/8 THK	I

Inverted Bottom Marking						
150# 10						
Į.		-				

Notes: (1) Marking: Safety Blanks shall be permanently marked as follows:

- (a) STEINMANS
- (b) Material specification and grade (abbreviated)
- (c) Flange class (abbreviated)
- (d) Pipe Size (NPS)
- (e) Thickness (Inches)
- (2) Hole size "G", shall be the same size as the flange bolt hole.
- (3) Customer to provide all required design specifications prior to placing order. Design Specifications are as follows:
 - (a) Pipe Size, NPS
 - (b) Flange Class and type
 - (c) Material
 - (d) Special coatings (if any)
 - (e) Added corrosion thickness value (if any)
- (4) Steinmans Safety Blinds are not designed to withstand high pressures and/or temperatures.

They are to be used for temporary line blocking for potential flow only. To be used in non-energized systems.

STEINMANS, LLC

4142 Ogletown-Stanton Rd. Ste. 117

Newark, DE 19713 Phone: (302) 999-1784 Fax: (302) 999-1785 sales@steinmansllc.com

www.steinmansllc.com

Copyright (c) 2010 Steinmans, LLC. All Rights Reserved.